

Refine Search

Search Results -

Terms	Documents
L7 and L9	22

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L12

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, December 06, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name result set</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L12</u>	17 and 19	22	<u>L12</u>
<u>L11</u>	16 and L10	3	<u>L11</u>
<u>L10</u>	13 and L9	283	<u>L10</u>
<u>L9</u>	stuck pipe or pressure differential sticking	389	<u>L9</u>
<u>L8</u>	16 and L7	45	<u>L8</u>
<u>L7</u>	175/73-76.ccls. or 175/230.ccls. or 175/320.ccls. or 175/323-324.ccls. or 175/325.1-325.5.ccls. or 175/326.ccls.	2564	<u>L7</u>
<u>L6</u>	14 and L5	2389	<u>L6</u>
<u>L5</u>	curvature or convex	253716	<u>L5</u>
<u>L4</u>	bearing surface and L3	11992	<u>L4</u>
<u>L3</u>	drill string or drill pipe or tubular	344063	<u>L3</u>
<i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i>			
('3268274' '3285678' '3420323' '4245709' '4277869' '4384626' '4479538')			

L2 '4489793'| '4540055'| '4757861'| '4811800'| '4854399'| '5040620'| '5937957')!
[pn]

14 L2

DB=USPT; PLUR=YES; OP=ADJ

L1 6223840.pn.

1 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L7 and L9	22

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L12 ▲
▼

Search History

DATE: Tuesday, December 06, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L12</u>	17 and 19	22	<u>L12</u>
<u>L11</u>	16 and L10	3	<u>L11</u>
<u>L10</u>	13 and L9	283	<u>L10</u>
<u>L9</u>	stuck pipe or pressure differential sticking	389	<u>L9</u>
<u>L8</u>	16 and L7	45	<u>L8</u>
<u>L7</u>	175/73-76.ccls. or 175/230.ccls. or 175/320.ccls. or 175/323-324.ccls. or 175/325.1-325.5.ccls. or 175/326.ccls.	2564	<u>L7</u>
<u>L6</u>	14 and L5	2389	<u>L6</u>
<u>L5</u>	curvature or convex	253716	<u>L5</u>
<u>L4</u>	bearing surface and L3	11992	<u>L4</u>
<u>L3</u>	drill string or drill pipe or tubular	344063	<u>L3</u>
<i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i>			
('3268274' '3285678' '3420323' '4245709' '4277869' '4384626' '4479538'			